


**Included in the package:**

- Talis with CR2430 battery installed.
- CD or DVD (Manual, PC Interface program).


**Included or optional:**

- Mac app.


### WATCH MODE (Main Time)




### NORM MODE (Surface)




from NORM/GAUG Main




**SET ALARMS**




**SET UTILITIES**




### GAUG MODE (Surface)



### NORM (Surface)



### NORM (Dive)



### Deep Stop




at 1/2 Max Depth for  
2 min after Depths  
> 80 FT (24 M)

### Safety Stop



at 15 FT (5 M) for  
3 min after Depths  
> 30 FT (9 M)

### FREE MODE (Surface)



from Main

A+S ↓  
2s

### SET ALARMS


A < 2s ↓

A 2s ↑

Elapsed Dive Time  
Depth 1  
Depth 2  
Depth 3

to Set:  
S hold (scroll up)  
S < 2s (step up)  
M < 2s (step down)  
A < 2s (save setting)


### GAUG (Surface)



### GAUG (Dive)



### FREE (Surface)



### FREE (Dive)



### Lieferumfang:


- Talis mit eingelegerter Batterie CR2430
- CD oder DVD (Bedienungsanleitung, PC-Schnittstellenprogramm).

### Mitgeliefert oder optional:

- Mac App.


## UHR-BETRIEBSART

(Hauptzeit)




## NORM-BETRIEBSART

(Oberfläche)



## GAUG-BETRIEBSART


(Oberfläche)



## NORM (Oberfläche)



## NORM (Tauchen)



### Tiefenstopp




bei 1/2 Max. Tiefe für  
2 Min nach Tiefen  
> 24 m (80 FT)

### Sicherheitsstopp



bei 5 m (15 Fuß) für  
3 Min nach Tiefen  
> 9 m (30 Fuß)

## FREE-BETRIEBSART (Oberfläche)



von  
Haupt  
A+S  
2s


### ALARME EINSTELLEN

A < 2s  
A 2s

Verstrichene Tauchzeit  
Tiefe 1  
Tiefe 2  
Tiefe 3

zu Einstellung:  
S halten (hochzählen)  
S < 2s (nacheinander  
erhöhen)  
M < 2s (nacheinander  
verringern)  
A < 2s (Einstellung  
speichern)


## GAUG (Oberfläche)



## GAUG (Tauchen)



## FREE (Oberfläche)



## FREE (Tauchen)

